

- Pfirrmann CW, Hodler J, Boos N. Diagnostische Abklärung beim lumbalen Rückenschmerz. II. Bildgebung und bildgebungsgesteuerte Infiltrationen. Schweiz Rundsch Med Prax 1999; 88: 315–321
- Pincus T, Burton AK, Vogel S et al. A systematic review of psychological factors as predictors of chronicity/disability in prospective cohorts of low back pain. Spine (Phila Pa 1976) 2002; 27: E109–120
- Rabin A, Gerszten PC, Karausky P et al. The sensitivity of the seated straight-leg raise test compared with the supine straight-leg raise test in patients presenting with magnetic resonance imaging evidence of lumbar nerve root compression. Arch Phys Med Rehabil 2007; 88: 840–843
- Roberts ST, Willick SE, Rho ME et al. Efficacy of lumbosacral transforaminal epidural steroid injections: a systematic review. Pm R 2009; 1: 657–668
- Roelofs PD, Deyo RA, Koes BW et al. Nonsteroidal anti-inflammatory drugs for low back pain: an updated Cochrane review. Spine (Phila Pa 1976) 2008; 33: 1766–1774
- Rubinstein SM, van Middelkoop M, Assendelft WJJ et al. Spinal manipulative therapy for chronic low-back pain. Cochrane Database Syst Rev. 2011; 2: CD008112
- Schick U, Elhabony R. Prospective comparative study of lumbar sequestrectomy and microdiscectomy. Minim Invasive Neurosurg 2009; 52: 180–185
- Schmidt CO, Kohlmann T. Was wissen wir über das Symptom Rückenschmerz? Epidemiologische Ergebnisse zu Prävalenz, Inzidenz, Verlauf und Risikofaktoren. Z Orthopädie und Grenzgebiete 2005; 143: 292–298
- Schmidt CO, Raspe H, Pflugsten M et al. Back pain in the German adult population: prevalence, severity, and sociodemographic correlates in a multiregional survey. Spine (Phila Pa 1976) 2007; 32: 2005–2011
- Schulte-Mattler WJ, Georgiadis D, Tietze K et al. Relation between maximum discharge rate on electromyography and motor unit number estimates. Muscle & Nerve 2000; 23: 231–238
- Senocak O, Hurel DM, Sener U et al. Motor conduction time along the cauda equina in patients with lumbar spinal stenosis. Spine 2009; 34: 1410–1414
- Sheehan NJ. Magnetic resonance imaging for low back pain: indications and limitations. Ann Rheum Dis 2010; 69: 7–11
- Silverplatt K, Lind B, Zoega B et al. Health-related quality of life in patients with surgically treated lumbar disc herniation: 2- and 7-year follow-up of 117 patients. Acta Orthopaedica 2011; 82: 198–203
- Staiger TO, Gaster B, Sullivan MD et al. Systematic review of antidepressants in the treatment of chronic low back pain. Spine (Phila Pa 1976) 2003; 28: 2540–2545
- Takahashi H, Suguro T, Okazima Y et al. Inflammatory cytokines in the herniated disc of the lumbar spine. Spine (Phila Pa 1976) 1996; 21: 218–224
- Thome C. Chronischer Rückenschmerz – operative Therapieansätze bei chronischen Rückenschmerzen. Anesthesiol Intensivmed Notfallmed Schmerzther 2009; 44: 48–55
- Urquhart DM, Hoving JL, Assendelft WW et al. Antidepressants for non-specific low back pain. Cochrane Database Syst Rev 2008; 1: CD001703
- van Tulder MW, Assendelft WJ, Koes BW et al. Spinal radiographic findings and nonspecific low back pain. A systematic review of observational studies. Spine (Phila Pa 1976) 1997; 22: 427–434
- van Tulder M, Becker A, Bekkering T et al. Chapter 3 European guidelines for the management of acute nonspecific low back pain in primary care. Eur Spine J 2006; 15 (Suppl. 2): S169–S191
- Weber H. Lumbar disc herniation. A controlled, prospective study with ten years of observation. Spine (Phila Pa 1976) 1983; 8: 131–140
- Weh L, Marnitz U. Der Orthopäde im interdisziplinären Setting. Multimodale Therapie beim chronischen Rückenschmerz. Orthopäde 2009; 38: 913–914, 916–919
- Weinstein JN, Lurie JD, Tosteson TD et al. Surgical vs nonoperative treatment for lumbar disk herniation: the Spine Patient Outcomes Research Trial (SPORT) observational cohort. J Am Med Ass 2006; 296: 2451–2459
- Weinstein JN, Lurie JD, Tosteson TD et al. Surgical versus nonoperative treatment for lumbar disc herniation: four-year results for the Spine Patient Outcomes Research Trial (SPORT). Spine (Phila Pa 1976) 2008; 33: 2789–2800
- Wenig CM, Schmidt CO, Kohlmann T et al. Costs of back pain in Germany. Eur J Pain 2009; 13: 280–286
- Wiese M, Küpper J, Becker C et al. Rückenschule heute. Z Orthop Unfall 2009; 147: 194–198
- Wiffen B, Derry S, Moore RA et al. Carbamazepine for acute and chronic pain in adults. Cochrane Database Syst Rev 2011; 1: CD005451

Aus: Hans-Christoph Diener, Christian Weimar (Hrsg.)

Leitlinien für Diagnostik und Therapie in der Neurologie

Herausgegeben von der Kommission "Leitlinien" der Deutschen Gesellschaft für Neurologie

Thieme Verlag, Stuttgart, September 2012